


Breathing Circuits

tyco Healthcare

DAR

CONTENTS

DAR: Our History	page	4
Anaesthesia Breathing Circuits	page	8
Intensive Care Systems	page	18
Breathing Systems for portable ventilators (single limb)	page	34
Breathing Tubes	page	42
Catheters Mount Range	page	48
Connectors	page	54
Accessories	page	70

DAR HISTORY

DAR was founded in 1986 in Mirandola, in the so-called "Italian Biomedical Valley" about 70 km north of Bologna.

In 1987, with its Hygrobac filter, DAR became the first Company in the world to manufacture a device combining a filter membrane and a Heat and Moisture Exchanger.

In 1993 it was acquired by Mallinckrodt Inc., subsequently becoming part of Tyco Healthcare in 2000.



Today DAR offers a full range of filters, filter HMEs, breathing circuits and other respiratory care accessories for operating theatres, recovery rooms, intensive care and the home care environments.

The DAR range of respiratory disposables combined innovation and efficiency with exceptionable reliability the result of excellent design and high stadards of quality control.

The control procedures are perfectly consolidated and the personnel assigned to such procedures have acquired a truly unique experience.

DAR quality system procedures involve an extensive series of controls at every stage of production.

Our vast range provides a natural extension to other Tyco Healthcare product lines such as Mallinckrodt endotracheal tubes, Shiley tracheostomy tubes, Respiflo and Aerodyne inspiratory therapy products and Puriran Bennett ventilators, making Tyco Healthcare the complete solution to all your respiratory management requirements.

BREATHING CIRCUITS

DAR breathing circuits offer a widest choice in terms of available materials and configurations to satisfy all anaesthesia, intensive care, CPAP (Continuous Positive Air Pressure), IPPB (Intermittent Positive Pressure Breathing), and neonatology needs.

DAR circuits ensure consistently excellent results as regards the application of the various breathing techniques and can be made to suit specific user requirements.

DAR is able to offer many different types of single use systems to meet the different requirements of the medical staff and patients. Some system types are absolute first in the industry and exclusive to DAR, such as the heated-wire circuits with integrated heating element or the Triplex anaesthesia circuit.


PVC Breathing circuits (page....)


DAR PVC breathing circuits are made of medical-grade material. The tube is reinforced by an external helix, whilst the inner surface is smooth.

This has several advantages:

- The tube is extremely flexible
- The tube is totally crush-proof thereby eliminating any risk of interruption in the ventilation procedure
- The tube diameter is constant whatever the curvature radius of the circuit
- The smooth bore prevents condensation build-up which reduces bacterial growth
- The tube is totally transparent, so the circuit can be constantly monitored
- The tube features soft flexible connectors that ensure a perfect seal







PVC embedded heated wire circuits

Whenever an active humidifier is used, large quantities of condensation in the circuit increases the likelihood of contamination.

Previously this problem has been overcome by fitting the circuit with a heating element consisting of an electrical wire that passes inside the circuit itself. The DAR PVC breathing circuits with integrated heating element employ an innovative and exclusive solution for overcoming the problem. In addition to the advantages offered by PVC systems, these circuits have the heating element embedded in the outer armouring helix of the limb.

This means:

- The limb is uniformly heated, without “cold spots”, preventing condensation build-up inside the circuit, the main cause of circuit contamination
- The electrical insulation achieved by embedding the heating element increases safety, for both operators and patients, and reduces risk associated with overheating.

Circuits are available for most active humidifiers.



Polyethylene Breathing Systems

Lightweight and cost-effective. The system’s light weight reduces the risk of trauma to the patient due to the circuit pulling on the patient connections. These circuits are made of corrugated polyethylene. The connectors are directly bonded to the tube to ensure gas tight connections and prevent leakage.



Polypropylene Extendible Breathing Systems

Polypropylene extendible breathing circuits (PP), can extend up to three times their packed length. This means that PP circuits are especially suitable for overcoming storage problems; even circuits of considerable length require very little storage room.


Another feature of the PP tubes is the “memory”; the circuit can be set up in the most convenient way for the operator and due to the memory of this material, the system will maintain the position set for as long as required, minimising stain on the ET tube. PP breathing circuits are available in adult size only.

Hytrel autoclavable tubing

Re-sterilizable DAR Hytrel circuits represent an ideal alternative to re-usable rubber or silicone circuits. They have a smooth bore which prevents any accumulation of condensed water, and an outer armouring helix which provides flexibility and prevents kinking. They also have extremely flexible connectors welded to the tube preventing any risks of disconnections.

Unlike silicone systems, Hytrel circuits are impermeable to gases, transparent and lightweight.

Hytrel circuits can be steam sterilised (autoclaved) at 121-123 °C up to twenty times without deterioration.



Triplex & Duo Breathing Systems

Triplex is a coaxial breathing circuit where inspiratory and CO_2 sampling lines are enclosed in the larger bore expiratory line. The fresh gases passing through the inner tube are warmed by the expired gases passing through the outer tube. A line dedicated to capnography sampling is included in the outer tubing, thus allowing CO_2 sampling without additional tubing. The design permits the elimination of one parallel limb, making the circuit less bulky and easier to handle.

Also available as the Duo (like Triplex without CO_2 sampling line).

The Triplex & Duo circuits can also be used with circle absorbent. Duo & Triplex circuits can be used in ICU, provided that an HME or a Filter/HME is in place at the patient end



MBU: Manual Breathing Unit

Circuit for the manual administration of gases mixtures.

The constant introduction of fresh gases into the mask, according to Jackson Rees principle, reduces the system CO2.

MBU is equipped with an adjustable valve (APL) and with the relevant connector for the gases output.

APL allows a precise definition of the pressure during the inspiratory phase while operating in full safety as far as accidental blocks that could cause potential risks for the patient.

DAR APL Valve advantages:


- Our APL valve avoids any potential re-breathing of the outlet gases.
- It grants a constant fresh gases volume within the breathing bag.
- Reproducible and reliable performances.
- Over pressure safety release valve



Adult

Smoothbore PVC circuits (basic)

300/6081 | 22 mm Adult PVC anaesthesia circuit, 100 cm, 22Flex-22Flex ventilator connections, parallel Y-Piece without ports with 22M/15F patient connections, sterile.




Also available

300/6042	120 cm, parallel Y-piece w/no ports, 22Flex ventilator connections, sterile
300/6043	150 cm, parallel Y-piece w/no ports, 22Flex ventilator connections, sterile
300/6044	180 cm, parallel Y-piece w/no ports, 22Flex ventilator connections, sterile
300/6099	200 cm, parallel Y-piece w/no ports, 22Flex ventilator connections, sterile
300/6484	240 cm, parallel Y-piece w/no ports, 22Flex ventilator connections, sterile
300/6567	260 cm, parallel Y-piece w/no ports, 22Flex ventilator connections, sterile
300/6449	300 cm, parallel Y-piece w/no ports, 22Flex ventilator connections, sterile

Single packed. Box quantity 10 units

Smoothbore PVC circuits (with accessories)

300/6365 | 22 mm Adult PVC Anaesthesia Circuit, 120 cm, 22Flex-22Flex ventilator connections, parallel Y-Piece without ports 22M/15F patient connections, extra limb 60 cm with 22Flex-22M connections, 2 lt latex free breathing bag on extra limb, sterile .



Also available


300/13756	150 cm, 3 lt breathing bag, elbow with Capno port, sterile
300S14269	150 cm, limb 120 cm, bag 2lt, elbow with Capno port, straight connector 22M-22M/15F, sterile
301S14197	160 cm, limb 80 cm, Y piece with ports and cap, straight connector 22M-22M/19F, sterile
303/6062	160 cm, water trap on expiratory limb, sterile
300/13141	200 cm, limb 60 cm, bag 2 lt, sterile
300/6249	180 cm, limb 40 cm with 22Flex-22M connections, sterile

Single packed. Box quantity 10 units

Adult

Extendible PP circuits (basic)

300/13316 | 22 mm Adult PP extendible anaesthesia circuit, 60/180 cm, 22F-22F ventilator connections, parallel Y-Piece without ports with 22M/15F patient connections, not sterile.




Also available

300P13526	120/350 cm, 22F-22F ventilator connections, not sterile

Single packed. Box quantity 10 units

Extendible PP circuits (with accssories)

300/13330 | 22 mm Adult PP anaesthesia circuit, 60/180 cm, 22F-22F ventilator connections, parallel Y-Piece w/no ports with 90° angled elbow and capno port, 45/120 cm extra limb 22F-22F connections, 2 lt latex free bag with 22M/19F connector.



Also available


300/13743	60/180 cm, limb cm 60/180, 22F-22F connections, not sterile
300/13622	60/180 cm, parallel Y-piece w/elbow, 22F-22F connections, 3 lt latex free bag, not sterile

Single packed. Box quantity 10 units

Adult

PE Circuit (basic)

301NP14321 | 22 mm Adult PE anaesthesia circuit, 150 cm, 22F-22F ventilator connections, parallel Y piece with ports and cap, 22M/15F patient connections, not sterile




Also available

301NP14322	180 cm, 22F connections, Y piece w/ports and cap, not sterile
301NP14323	240 cm, 22F connections, Y piece w/ports and cap, not sterile

Box quantity 10 units

301NP14324 | 22 mm Adult PE anaesthesia circuit, 150 cm, 22F-22F ventilator connections, parallel Y piece w/ports 90° angled elbow and capno port, 22M/15F patient connections, straight connector 22M-22M/19F, not sterile



Also available


301NP14325	180 cm, 22F connections, Y piece w/ports and elbow, straight connector 22M-22M/19F, not sterile
301NP14326	240 cm, 22F connections, Y piece w/ports and elbow, straight connector 22M-22M/19F, not sterile

Box quantity 10 units

Adult

PE Circuit (with accessories)

301NP14330 | 22 mm Adult PE anaesthesia circuit, 150 cm, 22F-22F ventilator connections, parallel Y piece w/ports 90° angled elbow and capno port, 22M/15F patient connections, straight connector 22M-22M/19F, 2 lt latex free breathing bag, extra limb 90 cm, not sterile




Also available

301NP14331	180 cm, 22F connections, Y piece w/ports and elbow, straight connector 22M-22M/19F, 2 lt latex free breathing bag, limb 90 cm, not sterile
301NP14332	240 cm, 22F connections, Y piece w/ports and elbow, straight connector 22M-22M/19F, 2 lt latex free breathing bag, limb 90 cm, not sterile

Box quantity 10 units

301NP14333 | 22 mm Adult PE anaesthesia circuit, 150 cm, 22F-22F ventilator connections, parallel Y piece w/ports 90° angled elbow and capno port, 22M/15F patient connections, straight connector 22M-22M/19F, 2 lt latex free breathing bag, extra limb 90 cm, Barrierbac S filter, not sterile



Also available


301NP14334	180 cm, 22F connections, Y piece w/ports and elbow, straight connector 22M-22M/19F, 2 lt latex free breathing bag, limb 90 cm, Barrierbac S filter, not sterile
301NP14335	240 cm, 22F connections, Y piece w/ports and elbow, straight connector 22M-22M/19F, 2 lt latex free breathing bag, limb 90 cm, Barrierbac S filter, not sterile

Single packed, not sterile. Box quantity 10 units

Adult

PE Circuits (basic)

300/6636 | 22 mm Adult PE anaesthesia circuit, 99 cm, 22F-22F ventilator connections, parallel Y-Piece without ports, 22M/15F patient connections, sterile




Single packed. Box quantity 10 units

Also available

300/13656	158 cm, 22F connetions, 90° angled elbow on Y-piece, not sterile
300/13871	198 cm, 22F connections, cap on Y-piece, straigth connector 22M-22M/19F, not sterile
300/13872	264 cm, 22F connections, cap on Y-piece, straight connector 22M-22M/19F, not sterile

Polyethylene PE circuits (with accessories)

300/13873 | 22 mm Adult PE Anaesthesia Circuit, 198 cm, 22F-22F rigid ventilator connections, parallel Y-Piece w/cap, extra limb 79 cm, 22F-22F connections, straight connector 22M-22M/19F, 2 lt latex free breathing bag, not sterile



Single packed. Box quantity 10 units


Also available

303/6336	132 cm, 22F rigid ventilator connections, water trap on expiratory limb, sterile
301/6651	165 cm, 22F rigid ventilator connections, parallel Y piece with ports and cap, 79 cm extra limb, 22F-22F connections, two straight connectors 22M-22M/19F, not sterile
300/14030	198 cm, 22F rigid ventilator connections, parallel Y piece with cap, 79 cm extra limb, 22F-22F connections, two straight connectors 22M-22M/19F, not sterile
300/13903	264 cm, 22F rigid ventilators connections, parallel Y piece with cap, 79 cm extra limb, 22F-22F rigid connections, straight connector 22M-22M/19F, 2 lt latex free bag, not sterile

Adult

Mapleson D – BAIN

290P25270 | 22 mm Adult PE Coaxial Anaesthesia Circuit, 198 cm, 22M/15F patient connections, 22F ventilator connection, 90° angled elbow at patient side, not sterile




Single packed. Box quantity 10 units

Also available

285/7021	180 cm PVC tube, 22Flex ventilator connection, 22M/15F patient connection, sterile
290P25284	264 cm PE tube, 90°Åä angled elbow at patient side, 22F ventilator connection, 22M/15F patient connection, not sterile

Mapleson D – BAIN

290P25602 | 22 mm Adult PE Coaxial Anaesthesia Circuit, 198 cm, 90° angled elbow 22M/15F at patient side, 22F ventilator connection, T piece with APL valve including overpressure limiting valve, 2lt latex free breathing bag on T piece, not sterile



Also available


285/7945	180 cm PVC tube, 22F ventilator connection, 22M/15F patient connection, APL valve w/over pressure limiting valve, 2lt latex free bag, sterile
285P7977	280 cm PVC tube, 22F ventilator connection, 22M/15F patient connection, APL valve w/over pressure limiting valve, 2lt latex free bag, not sterile

Single packed. Box quantity 10 units

Adult

Mapleson C – MBU with lateral gas inlet

309/14059 | Adult Mapleson C with lateral gas inlet, fresh gas, PVC tube 180 cm, 22M/15F angled patient connection, 15M ventilator connection, APL valve with overpressure limiting valve, 2 lt latex free bag, additional connectors set, sterile




Single packed. Box quantity 10 units

Also available

309/6612	180 cm PVC tube, 22M/15F patient connections, 15M ventilator connection, APL valve, lateral gas inlet, 2lt latex free bag, sterile

Mapleson C – MBU with vertical gas inlet

309/13552 | Adult Mapleson C with vertical gas inlet, fresh gas, PVC tube 180 cm, 22M/15F angled patient connection, 15M ventilator connection, APL valve with overpressure limiting valve, 2 lt latex free bag, additional connectors set, sterile



Single packed. Box quantity 10 units


Also available

309/6310	180 cm PVC tube, 22M/15F patient connection, 15M ventilator connection, APL valve, vertical gas inlet, 2lt latex free bag, sterile

Adult

Triplex / DUO

285/25408 | Triplex circuit, with pressure port coaxial tube 130 cm, extendible inspiratory and expiratory limbs 20/45 cm, CO_2 line diameter 1.2x2.5 290 cm, 22M/15F patient connections, 22F ventilator connections, sterile



Also available


285/25417	200 cm coaxial tube with pressure port, extendible inspiratory and expiratory limbs 20/45 cm, CO2 line diameter 1.2x2.5 360 cm, 22M/15F patient connections, 22F ventilator connections, sterile
285/25446	260 cm coaxial tube with pressure port, extendible inspiratory and expiratory limbs 20/45 cm, CO2 line diameter 1.2x2.5 420 cm, 22M/15F patient connections, 22F ventilator con nection, sterile
285S25677	DUO 130 cm coaxial tube with pressure port, extendible inspiratory and expiratory limbs 20/45 cm, no CO2 line, 22M/15F patient connections, 22F ventilator connection, sterile
285/25557	DUO 200 cm coaxial tube with pressure port, extendible inspiratory and expiratory limbs 20/45 cm, no CO2 line, 22M/15F patient connections, 22F ventilator connections, sterile

Single packed. Box quantity 10 units

Paediatric

Smoothbore PVC circuits (basic)

305/6748 | 15 mm Paediatric PVC anaesthesia circuit, 100 cm, 22Flex-22Flex ventilator connections, standard Y-Piece without ports with 22M/15F patient connections, sterile




Also available

305/6712	120 cm, sterile
305/6713	150 cm, sterile
305/6714	180 cm, sterile
305/6967	220 cm, sterile
305/6722	300 cm, sterile

Single packed. Box quantity 10 units

Smoothbore PVC circuits (with accessories)

305/8773 | 15 mm Paediatric PVC Anaesthesia Circuit, 120 cm, 22Flex-22Flex ventilator connections, standard Y-Piece without ports with 22M/15F patient connections, extra limb 120 cm with 22Flex connections, 1 lt latex free breathing bag, sterile




Single packed. Box quantity 10 units

Paediatric

Mapleson C – MBU with lateral gas inlet


309/6353 | Paediatric Mapleson C with lateral gas inlet, fresh gas PVC tube 180 cm, 22M/15F angled patient connection, 15M ventilator connection, APL with overpressure limiting valve, 1 lt latex free bag, additional connectors set 22F rubber cap, sterile



Single packed. Box quantity 10 units

Mapleson C – MBU with vertical gas inlet

309/6563 | Paediatric Mapleson C with vertical gas inlet, fresh gas PVC tube 180 cm, 22M/15F angled patient connection, 15M ventilator connection, APL valve, 1 lt latex free bag, additional connectors set, sterile




Single packed. Box quantity 10 units

Neonatal

Single packed. Box quantity 10 units

Smoothbore PVC circuits (basic)

305/8067 | 10 mm Neonatal PVC anaesthesia circuit, 50 cm, 10Flex-10Flex ventilator connections, neonatal Y-Piece with ports with 15F patient connections, sterile




Also available

305/6852	120 cm, 22Flex ventilator connections, sterile
305/8173	150 cm, 22Flex ventilator connections, sterile
305/6745	180 cm, 22 Flex ventilator connections, sterile

Mapleson C – MBU with lateral gas inlet

309/13707 | Neonatal Mapleson C with lateral gas inlet, fresh gas PVC tube 300 cm, 22M/15F patient connection, 15M ventilator connection, APL valve, 1/2 lt latex free bag, additional connectors set 90° angled elbow connector, sterile




Single packed. Box quantity 10 units

Also available

309/6351	Lateral gas inlet, fresh gas PVC tube 180 cm, 22M/15F angled patient connection, 15M ventilator connection, APL valve with overpressure limiting valve, one way valve to patient, 1/2 lt latex free breathing bag, sterile

Mapleson C – MBU with vertical gas inlet

309/6355 | Neonatal Mapleson C with vertical gas inlet, fresh gas PVC tube 180 cm length, vertical22M/15F angled patient connection,15M ventilator connection, APL valve, 1/2 lt latex free bag, additional connectors set, sterile




Single packed. Box quantity 10 units

Neonatal

Mapleson F – T-Piece

286/7660 | Neonatal Mapleson F with vertical gas inlet, fresh gas PVC tube 180 cm, 22M/15F angled patient connection, 15M ventilator connection, APL valve with overpressure limiting valve, 1/2 lt latex free bag, additional connectors set, not sterile




Also available

286/7252	Vertical gas inlet, fresh gas PVC tube 180 cm, 22M/15F angled patient connection, 15M venti lator connection, 1/2 lt latex free breathing bag open 15F-22F straight connector, not sterile

Single packed. Box quantity 10 units

Mapleson F – Jackson Rees

286/7814 | Neonatal Mapleson F, fresh gas PVC tube 180 cm, tube 50 cm, 22M/15F angled patient connection, 15M ventilator connection, 1/2 lt latex free bag open, additional connectors set, not sterile




Single packed. Box quantity 10 units

Adult

Smoothbore PVC circuits (basic)

301/6326 | 22 mm Adult PVC ICU circuit, 150 cm length, parallel Y-Piece with ports with 22M/15F patient connections, 22Flex-22Flex ventilator connections, sterile




Also available

300/6591	150 cm, detachable parallel Y-piece with ports for Draeger ventilator, 22 Flex ventilator connections, sterile
301/6378	150 cm, detachable parallel Y-piece with ports, 22 Flex ventilator connections, sterile
301/6130	180 cm, parallel Y-piece with ports, 22F cap on Y piece, 22 Flex ventilator connections, sterile
301/14105	180 cm, detachable parallel Y-piece with ports, 22 Flex ventilator connections, sterile

Single packed. Box quantity 10 units

Smoothbore PVC circuits (with accessories)

304/13686 | 22 mm Adult PVC ICU circuit, parallel Y-Piece with ports, 22M/15F patient connections, inspiratory line 160 cm length with adult water trap, expiratory line 160 cm length with adult water trap, 22Flex-22Flex ventilator connections, extra limb 100 cm length with 22Flex-22Flex connections, sterile



Also available


304/13693	160 cm with adult water traps on inspiratory and expiratory line, detachable Y piece with ports, 22M/15F patient connections, 22 Flex ventilator connections, extra limb 60 cm with 22Flex-22Flex connections, sterile
304/13493	160 cm with adult water traps on inspiratory and expiratory line, Y piece with ports for Draeger ventilator, 22M/15F patient connections, 22 Flex ventilator connections, extra limb 30 cm with 22Flex-22Flex connections, sterile
304/6300	160 cm with adult water traps on inspiratory and expiratory line, Y piece with ports, 22M/15F patient connections, thermo insulated inspiratory limb, 22 Flex ventilator connections, extra limb 40 cm with 22Flex-22Flex connections, sterile
304/6085	160 cm with adult water traps on inspiratory and expiratory line, Y piece with ports, 22M/15F patient connections, thermo insulated inspiratory limb, 22 Flex ventilator connections, extra limb 60 cm with 22Flex-22Flex connections, sterile

Single packed. Box quantity 10 units

Adult

Single Embedded Heated wire smoothbore PVC circuits for F&P MR730 series, Bear, Hudson humidifiers

304/13031 | 22 mm Adult PVC ICU circuit, detachable parallel Y-Piece with ports, 22M/15F patient connections, inspiratory heated line 120 cm length, expiratory line 160 cm length with adult water trap, 22F-22Flex ventilator connections, extra limb 30 cm with 22Flex-22Flex connections, sterile




Also available

304/13358	Inspiratory heated line 150 cm, expiratory line 160 cm with water trap, Y piece with ports, 22 F cap on Y piece, extra limb 30 cm, sterile
304/13421	Inspiratory heated line 120 cm, expiratory line 160 cm with water trap, Y piece with ports, extra limb 60 cm, sterile
285/25258	Single limb system, inspiratory heated line 120 cm, expiratory line 70 cm with T adapter, cathe ter mount 10 cm with 90° angled elbow and capno port, straight connector 22M/19F-22M, not sterile

Single packed. Box quantity 10 units

Single Embedded Heated wire smoothbore PVC circuits for F&P MR850 humidifier

304S14291 | 22 mm Adult PVC ICU Circuit, detachable parallel Y-piece with ports and 22F cap, 22M/15F patient connections, inspiratory heated line 150 cm length, expiratory line 160 cm length with adult water trap, 22F-22Flex ventilator connections, extra limb 30 cm length with 22Flex-22Flex connections, sterile



Also available


304S14292	Inspiratory heated line 120 cm, expiratory line 160 cm with water trap, Y piece with ports and cap, extra limb 30 cm, sterile

Single packed. Box quantity 10 units

Adult

Single Embedded Heated wire smoothbore PVC circuits for Kendall Aerodyne 2000 humidifier


304S14262 | 22 mm Adult PVC ICU Circuit, detachable parallel Y-piece with ports, 22M/15F patient connections, inspiratory heated line 140 cm length with embedded heated wire, expiratory line 160 cm length with adult water trap, 22F-22Flex ventilator connections, extra limb 60 cm length with 22Flex-22Flex connections, sterile



Single packed. Box quantity 10 units

Dual Embedded Heated wire smoothbore PVC circuit for F&P MR730 series, Bear, Hudson humidifiers

304S14299 | 22 mm Adult PVC ICU Circuit, detachable parallel Y-Piece with ports, 22M/15F patient connections, 90° angled elbow connector on Y-piece, inspiratory heated line 145 cm length, expiratory heated line 180 cm length, 22F-22Flex ventilator connections, extra limb 40 cm length with 22Flex-22Flex connections, straight connector 22M/19F-22F, straight connector with MDI port, sterile




Single packed. Box quantity 10 units

Adult


Dual Embedded Heated wire smoothbore PVC circuit for F&P MR850 humidifier

304S14300 | 22 mm Adult PVC ICU Circuit, detachable parallel Y-Piece with ports 22M/15F patient connections, 90° angled elbow connector on Y-piece, inspiratory heated line 150 cm length, expiratory heated line 180 cm length, 22F-22Flex ventilator connections, extra limb 40 cm length with 22Flex-22Flex connections, straight connector 22M/19F-22F, straight connector with MDI port, sterile



Dual Embedded Heated wire Adult smoothbore PVC circuit Kendall Aerodyne 2000 humidifier

304S14263 | 22 mm Adult PVC ICU Circuit, detachable parallel Y-Piece with ports, 22M/15F patient connections, inspiratory heated line 140 cm length, expiratory heated line 140 cm length, 22F-22Flex ventilator connections, extra limb 60 cm length with 22Flex-22Flex connections, sterile



Adapter Cables for heated wire circuits


111/1128	Adapter cable for heated wire circuit to be used with humidifier type Bear
111/1129	Adapter cable for heated wire circuit for connection to F&P 900MR adapter cable
111/1130	Adapter cable for heated wire circuit to be used with humidifier type Kendall
111/1131	Adapter cable for heated wire circuit to be used with humidifier type Hudson
111/1133	Adapter cable for dual heated wire circuit to be used with humidifier type Kendall - expiratory line -
111/1146	Adapter cable for heated wire circuit to be used with active humidifier model F&P MR850
111/1147	Adapter cable for heated wire circuit to be used with active humidifier model F&P MR730
111/1148	"Y" shaped adapter cable to be used on dual heated wire circuit for humidifier model F&P MR 730
111/1149	"Y" shaped adapter cable to be used on dual heated wire circuit for humidifier model F&P MR 850

Single packed. Box quantity 10 units

Adult

Extendible PP Breathing Circuits

303/13609 | 22 mm Adult PP ICU circuit, Y-piece with ports, 22M/15F patient connections, inspiratory line 60/180 cm length, expiratory line 45/120 cm – adult water trap – 45/120 cm length, 22F-22F ventilator connections, extra limb 30/70 cm length, 22F-22F connections, not sterile




Also available

304/13320	Y piece with ports, inspiratory line 30/70 cm – water trap – 30/70 cm expiratory line 30/70 cm – water trap – 30/70 cm, extra limb 30/70 cm length, 22F-22F connections, not sterile
304/13331	Y piece with ports for Draeger, inspiratory line 30/70 cm – water trap – 30/70 cm, expiratory line 30/70 cm – water trap – 30/70 cm length, extra limb 30/70 cm length, 22F-22F connec tions, not sterile

Single packed. Box quantity 10 units

PE Breathing Circuits

304/13565 | 22 mm Adult PE ICU circuit, Y-piece with ports and cap, 22M/15F patient connections, inspiratory line 158 cm length with adult water trap, expiratory line 158 cm with adult water trap, 22F-22F ventilator connections, extra limb 79 cm length, 22F-22F connections, two straight connectors 22M-22M/19F, not sterile



Also available


304/13874	Y piece with ports and cap, inspiratory line 198 cm, expiratory line 198 cm with water trap, extra limb 79 cm, 22F-22F connections, two straight connectors 22M-22M/19F, not sterile

Single packed. Box quantity 10 units

Adult CPAP

PVC Breathing Circuit

304S14206 | 22 mm Adult PVC CPAP circuit, detachable Y-piece with ports, 22M/15F patient connections, inspiratory heated line 150 cm length, expiratory line 30 cm length, 22F-22Flex ventilator connections, extra limb 50 cm length, sterile




Also available

285S25695	CPAP system, heated line 140 cm, T-piece, limb 30 cm on T-piece ending 22F, extra limb 60 cm with 22Flex-22Flex connections, sterile

Single packed. Box quantity 10 units

PE Breathing Circuit

290/25186 | 22 mm Adult PE CPAP circuit, 198 cm length with T-piece, 22F-22F ventilator connections, not sterile




Single packed. Box quantity 10 units

Paediatric

Smoothbore PVC circuits (basic)

306/8787 | 15 mm Paediatric PVC ICU circuit, standard Y-Piece with ports, 22M/15F patient connections, 160 cm length with paediatric water trap, 22Flex-22Flex ventilator connections, extra limb 80cm length, 22Flex-22Flex connections, sterile




Also available

306/8723	180 cm, standard Y piece with ports, 22M/15F patient connections, 22Flex-22Flex ventilator connections, sterile
306/6705	standard Y piece with ports, 120 cm inspiratory line, 120 cm expiratory line with paediatric water trap, 22M/15F patient connections, 22Flex-22Flex ventilator connections, sterile

Single packed. Box quantity 10 units

Single Embedded Heated wire smoothbore PVC circuits for F&P MR730 humidifier

306/6843 | 15 mm Paediatric PVC ICU Circuit, detachable standard Y-Piece with ports, 22M/15F patient connections, inspiratory line 135 cm length with embedded heated wire, expiratory line 120 cm length with paediatric water trap, 22F-22Flex ventilator connections, extra limb 60 cm length with 22Flex-22Flex connections, sterile



Also available


306/8526	standard Y piece with ports, 22M/15F patient connections, inspiratory heated line 135 cm, expiratory line 160 cm with paediatric water trap, 22F-22Flex ventilator connections, extra limb 30 cm 22Flex-22Flex connections, two connectors 22M/19F-22M and two connectors 22M/15M loose in the envelope, sterile

Single packed. Box quantity 10 units

Paediatric

Single Embedded Heated wire smoothbore PVC circuits for Kendall Aerodyne 2000 humidifier


306S8936 | 15 mm Paediatric PVC ICU Circuit, detachable standard Y-Piece with ports, 22M/15F patient connections, inspiratory line 110 cm length with embedded heated wire, e xpiratory line 160 cm length with paediatric water trap, 22F-22Flex ventilator connections, extra limb 30 cm length with 22Flex-22Flex connections, sterile



Single packed. Box quantity 10 units

Dual Embedded Heated wire smoothbore PVC circuits Kendall Aerodyne 2000 humidifier

306S8937 | 15 mm Paediatric PVC ICU Circuit, detachable parallel Y-Piece with ports, 22M/15F patient connections, inspiratory line 110 cm length with embedded heated wire, expiratory line 110 cm length with embedded heated wire, 22F-22Flex ventilator connections, extra limb 30 cm length with 22Flex-22Flex connections, sterile




Single packed. Box quantity 10 units

Neonatal

Smoothbore PVC circuits (basic)

307/6981 — 10 mm Neonatal PVC ICU circuit, neonatal Y piece with pressure port, 15F patient connection, inspiratory line 120 cm length with paediatric water trap, expiratory line 120 cm with paediatric water trap, 22Flex-22Flex ventilator connections, extra limb 50 cm, 22Flex-22Flex connections, sterile




Also available

305/8248	no Y piece, 11Flex-11Flex patient connections, inspiratory line 120 cm, expiratory line 140 cm for Babylog with paediatric water trap, 11Flex-15M ventilator connections, extra limb 40 cm with straight 8000 connector with temperature port diameter 7mm for Draeger probe, 15M-11Flex connections, sterile
286/25457	no Y piece, 15M-11Flex patient connections, low compliance inspiratory line 40 cm with straight for Babylog straight connector with temperature port diameter 7mm for Draeger probe, low com pliance 8000 with low expiratory line 100 cm with paediatric water trap, 11Flex-11Flex ventilator connections, compliance low compliance extra limb 40 cm, 15M-11Fex connections, sterile

Single packed. Box quantity 10 units

Single Embedded Heated wire smoothbore PVC circuits for F&P MR730 umidifier

307/8191 — 10 mm Neonatal PVC ICU Circuit, neonatal Y -Piece with ports and pressure line diameter 4x6.5 130 cm long, 15F patient connections, inspiratory line 135 cm length with embedded heated wire, expiratory line 120 cm length with adult water trap, 22F-22M ventilator connections, extra limb 60 cm length with 15M-15M connections, sterile




Single packed. Box quantity 10 units

Neonatal

Smoothbore PVC circuits

307/8445 for Bourns/ Bear Cub 2000 — 10 mm Neonatal PVC ICU circuit, neonatal Y piece with pressure port and pressure line diameter 4x6.5 180 cm long, 15F patient connection, inspiratory line 160 cm length with paediatric water trap and straight connector with temperature port 40 cm from the Y piece, expiratory line 160 cm with paediatric water trap, 22Flex-10flex ventilator connections, extra limb 60 cm, 15M-10Flex connections, straight connector 15F-22F, straight connector 22M-22M/15F, sterile



Also available


307/8448	neonatal Y piece with pressure port and pressure line 4x6.5 180 cm long, 15F patient for Newport, connection, inspiratory line 160 cm with paediatric water trap and straight connector with Bird, Bear temperature port 40 cm from the Y piece, expiratory line 160 cm with paediatric water trap, 850 22Flex-22Flex ventilator connections, extra limb 60 cm, 15M-22Flex connections, straight connector 15F-22F, straight connector 22M-22M/15F, cap for pressure port, sterile
307/8449	neonatal Y piece with pressure port and dual pressure line 4x6.5 180 cm long, 15F patient for Sechrist connection, inspiratory line 160 cm with paediatric water trap and straight connector with temperature port 40 cm from the Y piece, expiratory line 160 cm with paediatric water trap, 22Flex-15M ventilator connections, extra limb 60 cm, 15M-15M connections, straight connector 15F-22F, two straight connectors 22M-22M/15F, pressure line 4x6.5 180 cm long loose in the envelope, sterile

Single packed. Box quantity 10 units

Neonatal

Single Embedded Heated wire smoothbore PVC circuits for F&P MR730 humidifier

307/8312 — 10 mm Neonatal PVC ICU Circuit, neonatal Y -Piece with ports and pressure line diameter 4x6.5 160 cm long and monitoring filter, 15F patient connection, inspiratory line 40 cm –T piece with cap – 135 cm line with embedded heated wire, expiratory line 120 cm length with adult water trap, 22F-22Flex ventilator connections, extra limb 60 cm length with 22Flex-15M connections, two straight connectors 15F-22F, sterile



Also available


307/8682	neonatal Y piece with ports, 15F patient connection, inspiratory line 135 cm with embedded heated wire, expiratory line 140 cm with adult water trap, 22F-22Flex ventilator connections, extra limb 30 cm, 22Flex-22Flex connections, sterile
307/8447 for Newport, Bird	neonatal Y piece with ports and pressure line 4x6.5 180 cm long, 15F patient connection, inspiratory line 40 cm – straight connector with temperature port – 135 cm with embedded heated wire, expiratory line 160 cm with paediatric water trap, 22F-22Flex ventilator connections, extra limb 60 cm, 15M-22Flex connections, straight connector 15F-22F, straight connector 22M-22M/15F, cap for pressure port, sterile
307/8442 for Bourns, Bear Cub 2000	neonatal Y piece with ports and pressure line 4x6.5 180 cm long, 15F patient connection, inspiratory line 40 cm – straight connector with temperature port – 135 cm with embedded heated wire, expiratory line 160 cm with paediatric water trap, 22F-10Flex ventilator connections, extra limb 60 cm, 15M-10Flex connections, straight connector 15F-22M, straight connector 15F-22F, straight connector 22M-22M/15F, sterile
307/8450 for Sechrist	neonatal Y piece with ports and dual pressure line 4x6.5 180 cm long, 15F patient connection, inspiratory line 40 cm – straight connector with temperature port – 135 cm with embedded heated wire, expiratory line 160 cm with paediatric water trap, 22F-15M ventilator connections, extra limb 60 cm, 15M-15M connections, straight connector 15F-22F, two straight connectors 22M-22M/15F, pressure line 4x6.5 180 cm loose in the envelope, sterile
307/8446 for Babylog 8000	no Y piece, 11Flex-11Flex patient connections, inspiratory line 40 cm – straight connector with temperature port – 135 cm with embedded heated wire, expiratory line 160 cm with paediatric water trap, 22F-11Flex ventilator connections, extra limb 60 cm, 15M-11Flex connections, straight connector 15F-22F, straight connector 22M-22M/15F, sterile
307/8533 for Babylog 8000	no Y piece, 11Flex-11Flex patient connections, inspiratory line 40 cm – straight connector with temperature port – 135 cm with embedded heated wire, expiratory line 180 cm with paediatric water trap, 22F-11Flex ventilator connections, extra limb 40 cm, 15M-11Flex connections, straight connector 15F-22F, straight connector 22M-22M/15F, sterile

Single packed. Box quantity 10 units

Neonatal

Single Embedded Heated wire smoothbore PVC circuits for Kendall Aerodyne 2000 humidifier

307S8975 — 10 mm Neonatal PVC ICU Circuit, neonatal Y - Piece with ports, 15F patient connection, inspiratory line 30 cm – straight connector with temperature port – 115 cm line with embedded heated wire, expiratory line 130 cm length with paediatric water trap, 22F-22Flex ventilator connections, extra limb 30 cm length with 22Flex-22Flex connections, sterile




Also available

307S8942 for Babylog 8000	no Y -Piece, 11Flex-11Flex patient connections, inspiratory line 30 cm – straight connector with temperature port – 115 cm line with embedded heated wire, expiratory line 130 cm with paediatric water trap, 22F-11Flex ventilator connections, extra limb 30 cm with 11Flex-22Flex connections, sterile

Single packed. Box quantity 10 units

Dual Embedded Heated wire Neonatal PVC circuits for Kendall Aerodyne 2000 humidifier

307/8943 for Babylog 8000 ventilator and Kendall humidifier — 10 mm Neonatal PVC ICU Circuit, no Y -Piece, 11Flex-11Flex patient connections, inspiratory line 30 cm – straight connector with temperature port – 115 cm line with embedded heated wire, expiratory line 30 cm – straight connector with temperature port – 115 cm line with embedded heated wire length, 22F-11Flex ventilator connections, extra limb 30 cm length with 11Flex-22Flex connections, sterile




Single packed. Box quantity 10 units

Breathing Systems for Nitric Oxide

Adult circuit (basic)


301/13925 | 22 mm Adult Circuit, parallel Y piece with ports, 22M/15F patient connections, inspiratory line 120 cm long with two straight connectors with Nitric Oxide port, expiratory line 120 cm long, 22Flex-22Flex ventilator connections, extra limb 40 cm long, 22Flex-22Flex connections, not sterile



Single packed. Box quantity 10 units

Adult circuit (with heated wire)

304/14015 | 22 mm Adult Circuit, parallel Y piece with ports and line diameter 4x6.5, 22M/15F patient connections, inspiratory line 20 cm thermo insulated tube –straight connector with NO port and line diameter I.D. 4 x O.D. 6.5 – straight connector with NO port – line 150 cm long with embedded heated wire, expiratory line 190 cm long with adult water trap, 22F-22Flex ventilator connections, extra limb 50 cm long, 22Flex-22Flex connections, sterile




Single packed. Box quantity 10 units

Breathing Systems for Nitric Oxide

Paediatric circuit (with heated wire)


306/8717 | 15 mm Paediatric Circuit, parallel Y piece with ports, 22M/15F patient connections, inspiratory line 40 cm long – straight connector with NO port – straight connector with NO port – line 135 cm long with embedded heated wire, expiratory line 160 cm long with paediatric water trap, 22F-22Flex ventilator connections, extra limb 40 cm long, 22Flex-22Flex angled connections, two PVC lines diameter 4x6.5 with monitoring filter, sterile



Single packed. Box quantity 10 units

Neonatal circuit (with heated wire)

307/8501 | 10 mm Neonatal Circuit, no Y piece, 11Flex-11Flex patient connections, low compliance for Babylog inspiratory line with straight connector with NO port - 20 cm line – two straight 8000 connectors with NO port – line 135 cm long with embedded heated wire, low compliance expiratory line 100 cm long with paediatric water trap, 22F-11Flex ventilator connections, extra limb 30 cm long, 15M-11Flex connections, PVC line diameter 4x6.5 with monitoring filter, PVC line diameter 4x6.5, straight connector 15F-22F, sterile




Single packed. Box quantity 10 units

Breathing Systems for Nitric Oxide

Neonatal circuit (with heated wire)

307/8603 | 10 mm Neonatal Circuit, detachable neonatal Y piece with ports, 15F patient connection, inspiratory line 40 cm line – two straight connectors with NO port – line 135 cm long with embedded heated wire, and final straight connector with NO port, expiratory line 160 cm long with paediatric water trap, 22F-22Flex ventilator connections, extra limb 40 cm long, 22Flex-22Flex angled connections, two PVC line diameter 4x6.5 with monitoring filter, sterile





Single packed. Box quantity 10 units

Adult


Kit of connectors for Nitric Oxide


608S9283 | NO adapter set for adul circuits






608S9282 | NO adapter set for Paediatric circuits







Kit of connectors for Nitric Oxide

608S9284 | NO adapter set for neonatal circuits







Paediatric


Also avaible as single item under code 609/9051

Neonatal

Adult

Breathing System for Brompton PAC ventilator


285/7530 | 22 mm Adult circuit, 120 cm, 22Flex ventilator connection, 22M/15F patient connection, exhalation valve, straight connector with pressure port, PVC line 20 cm diameter 4x6.5 from valve to pressure port on straight connector, L-tyoe adapter at patient side, straight connector 22M-12.5Flex loose in the envelope, sterile



Single packed, sterile. Box quantity 10 units

Breathing Systems for LP series, Achieva, PB Companion 2801, Breas PV401, Lifecare PLV100, Nippi Mark 1, Monnal D, Dräger EV800/1 ventilators

285/25035 | 22 mm Adult circuit, 180 cm, 22Flex ventilator connection, exhalation valve with 22M/15F patient connection, PVC line 210 cm diameter 3.2x6.4 on valve, pressure line 210 cm diameter 3.2x6.4 with angled rubber connector loose in the envelope, sterile




Single packed, sterile. Box quantity 10 units

Adult


Breathing Systems for LP series, Achieva, PB Companion 2801, Breas PV401, Lifecare PLV100, Nippi Mark 1, Monnal D, Dräger EV800/1 ventilators

285P25606 | 22 mm Adult circuit, 180 cm, 22Flex ventilator connection, exhalation valve with 22M/15F patient connection, PVC line 180 cm diameter 3.2x6.4 on valve, pressure line 180 cm diameter 5x7.5, not sterile



Single packed, not sterile. Box quantity 10 units

285/25038 | 22 mm Adult circuit, 150 cm, 22Flex ventilator connection, exhalation valve with 22M/15F patient connection, PVC line diameter 180 cm 4x6.5 on valve, pressure line 180 cm diameter 4x6.5, sterile




Single packed, not sterile. Box quantity 10 units

Adult

Breathing System for LP series, Achieva, PB Companion 2801, Breas PV401, Lifecare PLV100, Nippi Mark 1, Monnal D, Dräger EV800/1 ventilators to be use with humidifier


285/25517 | 22 mm Adult circuit, 160 cm with adult water trap, 22Flex ventilator connection, exhalation valve, straight connector with temperature port and 22M/15F patient connetions, PVC line 150 cm diameter 3.2x6.4 on valve, pressure line 150 cm diameter 5x7.5, extra limb 40 cm, 22Flex-22Flex connections, sterile



Single packed, sterile. Box quantity 10 units

Breathing Systems for Onyx Plus, Breas PV501, Eole 2A, Eole 3XO, Airox Home ventilator

285SX0035 | 22 mm Adult circuit, 180 cm, 22Flex ventilator connection, Airlife valve, straight connector with pressure port with 22M/15F patient connection, PVC line 210 cm diameter 3.2x6.4 on valve, pressure line 210 cm diameter 3.2x6.4 and angled rubber connector loose in the envelope, sterile



Also available


285SX0005	120 cm, 22Flex ventilator connection, Airlife valve, straight connector with pressure port with 22M/15F patient connection, PVC line 120 cm 3.2x6.4 on valve, pressure line 120 cm 3.2x6.4 loose in the envelope, sterile
285SX25724	150 cm, Sterivent filter at machine side with 22F/15M patient side, straight connector with pressure port and line 180 cm diameter 3.5x5.5, Airlife valve with 22M/15F patient connection, PVC line 180 cm 3.5x5.5 on valve, sterile

Single packed, sterile. Box quantity 10 units

Adult

Breathing System for Onyx Plus, Breas PV501, Eole 2A, Eole 3XO, Airox Home ventilator to be used with humidifier

285SX25699 | 22 mm Adult circuit, 150 cm with adult water trap, 22Flex ventilator connection, straight connector with pressure port, Airlife valve, limb 20 cm with 22Flex patient connection, PVC line 170 cm diameter 4x6.5 on valve, PVC line 150 cm diameter 4x6.5 loose in the envelope, extra limb 40 cm, 22Flex-22Flex connections, straight connector 22M-22M/19F, L-type connector 22F-22M, sterile





Single packed, not sterile. Box quantity 10 units

Adult

Adult Breathing System basic

285/25540 | 22 mm Adult circuit, 160 cm, 22Flex ventilator connection, straight connector with pressure port and dual pressure line diameter 3x5, 180 cm-rubber Y piece- 20cm and 60 cm, straight connector 22F-22F, sterile






Single packed. Box quantity 10 units

Adult breathing system to be used with humidifier


285/25541 | 22 mm Adult circuit, 160 cm with water trap, 22Flex ventilator connection, straight connector with pressure port, filter and dual pressure line diameter 3x5, 150 cm-rubber Y piece- 20cm and 60 cm, extra limb 60 cm, 22Flex-22Flex connections, sterile



Single packed, sterile. Box quantity 10 units

Adult circuit with heated wire


285P25613 | 22 mm Adult circuit, 150 cm heated limb, 22F ventilator connection, straight connector with temperature port, straight connector with filter and pressure line 200 cm diameter 4x6.5, extra limb 80 cm, 22Flex-22Flex connections, not sterile



Single packed, not sterile. Box quantity 10 units

Universal Connector to connect the systems to the face mask

608/509622 | F-22F straight long connector, sterile




Single packed, not sterile. Box quantity 10 units

Adult

Universal System for machine side


285/25210 | 15mm breathing circuit, 120 cm, 22M ventilator connection, exhalation valve with 22M/15F patient connection, PVC line 30 cm diameter 3.7x6.1- one way valve – 30cm diameter 4x6.5 and 150 cm diameter 3.7x6.1, sterile



Single packed, not sterile. Box quantity 10 units

Universal System for patient side

260/5521 | Universal breathing system including T piece, mouthpiece, Barrierbac filter and nebulizer, sterile




Single packed, not sterile. Box quantity 10 units

Adult

Complete System

285/25136 | 22 mm Adult circuit, 100 cm, 22Flex ventilator connection, T connector with nebulizer and crush resistant tube cm 110, exhalation valve with 22M/15F patient connection, PVC line 110 cm diameter 3.7x6.1 on valve, mouthpiece, straight connector 22M-22M/19F, extra PE limb cm 16.5, not sterile




Single packed, not sterile. Box quantity 10 units

Adult

Smoothbore PVC Tube (basic)

285/7030 | 22 mm Adult PVC tube, 15 cm, 22 Flex connection, sterile




Also available

285/7117	20 cm, 22 Flex connection, sterile
285/5058	40 cm, 22 Flex connection, sterile
285/5059	60 cm, 22 Flex connection, sterile
285/5060	80 cm, 22 Flex connection, sterile
285/5061	100 cm, 22 Flex connection, sterile
285/5062	120 cm, 22 Flex connection, sterile
285/5063	150 cm, 22 Flex connection, sterile
285/5064	180 cm, 22 Flex connection, sterile
285/7032	200 cm, 22 Flex connection, sterile
285/7510	bulk packed, not sterile. Box quantity 40 units
285/7185	300 cm, 22 Flex connection, sterile
285/7498	400 cm, 22 Flex connection, non sterile
285/7418	600 cm, 22 Flex connection, non sterile

Single packed. Box quantity 10 units

Smoothbore PVC Tube (with accessories)

285/7463 | 22 mm Adult PVC tube, 60 cm, 22Flex-22M connections, 2 lt latex free bag, sterile




Single packed. Box quantity 10 units

Also available

285/7681	80 cm, 22Flex-22M connections, 2 lt latex free bag, sterile
285/7283	100 cm, 22Flex-22M connections, 2 lt latex free bag, sterile
285S25640	150 cm, 22Flex-22M connections, 2 lt latex free bag, sterile

285/7010 | 22 mm Adult PVC tube, 140 cm, 22Flex-22Flex connections, with adult water trap, sterile



Single packed. Box quantity 10 units


Also available

285/7710	170 cm, 22Flex-22F connection, with adult water trap, sterile

Adult

Extendible PP Tubes (basic)

285S25567 | 22 mm Adult PP tube, 20/45 cm, 22F-22F connections, sterile




Also available

285/7785	30/70 cm, 22F-22F connections, sterile
285/7786	45/120 cm, 22F-22F connections, sterile
285/7770	60/180 cm, 22F-22F connections, sterile

Single packed. Box quantity 25 units


Extendible PP Tubes (with accessories)

285/7743 | 22 mm Adult PP tube, 45/120 cm, 22F-22F connections, with 2 lt latex free bag, not sterile



Single packed. Box quantity 25 units

285/7728 | 22 mm Adult PP tube, 60/180 cm, 22F-22F connections, with adult water trap, sterile




Single packed. Box quantity 10 units

Adult

Corrugated PE Tubes (basic)

290/7258 | 22 mm Adult PE tube, 158 cm, 22F-22F connections, not sterile




Single packed. Box quantity 10 units

Also available

290/25253	79 cm, 22F-22F connections, sterile
290/7502	181.5 cm, 22F-22F connections, not sterile
290/7364	198 cm, 222F-22F connections, sterile
290/7264	50 mt with cuffs every 37.5 cm, 22F-22F connections, not sterile
290/5035	50 mt, 22F-22F connections, not sterile


Corrugated PE Tubes (with accessories)

285/7880 | 22 mm Adult corrugated PE tube, 237 cm, 22F-22F connections, with adult water trap and oxygen mask, sterile



Single packed. Box quantity 10 units

290/25032 | 22 mm Adult corrugated PE tube, 178 cm, 22F-22F connections, with adult water trap, not sterile




Single packed. Box quantity 10 units

Adult


Polyester(Hytrel) Tubes (basic)

280/7976 | 22 mm Adult Polyester tube, 180 cm, 22 Flex connection, not sterile



Single packed. Box quantity 10 units

280P25593 | 22 mm Adult Polyester Grey tube, 180 cm, 22 Flex connection, not sterile



Also available


280/7970	40 cm, 22Flex-22Flex connections, not sterile
280/7971	60 cm, 22Flex-22Flex connections, not sterile
280/7972	80 cm, 22Flex-22Flex connections, not sterile
280/7973	100 cm, 22Flex-22Flex connections, not sterile
280/7974	120 cm, 22Flex-22Flex connections, not sterile
280/7975	150 cm, 22Flex-22Flex connections, not sterile
280P25188	240 cm, 22Flex-22Flex connections, not sterile
280P25594	270 cm, 22Flex-22Flex connections, grey version, not sterile

Single packed. Box quantity 10 units

Paediatric

Smoothbore PVC Tube (basic)

286/5065 | 15 mm Paediatric PVC tube, 40 cm, 22 Flex connection, sterile




Also available

286/5066	60 cm, 22Flex-22Flex connections, sterile
286/5067	80 cm, 22Flex-22Flex connections, sterile
286/5068	100 cm, 22Flex-22Flex connections, sterile
286/5069	120 cm, 22Flex-22Flex connections, sterile
286/5070	150 cm, 22Flex-22Flex connections, sterile
286/7039	150 cm, 22Flex-22Flex connections, not sterile
286/5071	180 cm, 22Flex-22Flex connections, sterile
286/7040	180 cm, 22Flex-15Flex connections, not sterile
286/7438	200 cm, 22Flex-15Flex connections, sterile
286S25579	250 cm, 22Flex-15Flex connections, sterile
286/25081	300 cm, 22Flex-15Flex connections, sterile

Single packed. Box quantity 10 units

Smoothbore PVC Tube (with accessories)


286/25190 | 15 mm Paediatric PVC tube, 60 cm, 22Flex-22M connections, 1 lt latex free bag, sterile



Single packed. Box quantity 10 units

Polyester/(Hytrel) Tubes (basic)

281/25100 | 15 mm Paediatric Polyester tube, 40 cm, 22 Flex connection, not sterile



Also available


281/25101	60 cm, 22Flex-22Flex connections, not sterile
281/25102	80 cm, 22Flex-22Flex connections, not sterile
281/25103	100 cm, 22Flex-22Flex connections, not sterile
281/25104	120 cm, 22Flex-22Flex connections, not sterile
281/25105	150 cm, 22Flex-22Flex connections, not sterile
281/25106	180 cm, 22Flex-22Flex connections, not sterile
281/25107	40 cm, 15Flex-15Flex connections, not sterile
281/25108	60 cm, 15Flex-15Flex connections, not sterile
281/25109	80 cm, 15Flex-15Flex connections, not sterile
281/25110	100 cm, 15Flex-15Flex connections, not sterile
281/25111	120 cm, 15Flex-15Flex connections, not sterile
281/25112	150 cm, 15Flex-15Flex connections, not sterile

Single packed. Box quantity 10 units

Neonatal

Smoothbore (PVC) Tube (basic)

286S25694 | 10 mm Neonatal PVC tube, 30 cm, 10F-15M connections, sterile




Also available

286/25530	60 cm, 22Flex-22Flex connection, sterile
286/25222	120 cm, 15M-15F connection, not sterile
286/7169	200 cm, 10Flex-15F connection, not sterile

Single packed. Box quantity 10 units


Smoothbore PVC Tube (with accessories)

286P25532 | 10 mm Neonatal PVC tube, 150 cm, 15M-15M connection, 0.5 lt latex free bag, connectors set, not sterile



Single packed. Box quantity 10 units

286/25323 | 10 mm Neonatal PVC tube, 140 cm, 22Flex-11Flex connection, with paediatric water trap, sterile



Also available


286/7205	110 cm, 15M-10Flex connections with anaesthesia face mask
286/7487	210 cm, 22Flex-15Flex connections, with paediatric water trap, with oxygen mask, sterile

Single packed. Box quantity 10 units

Smoothbore PVC Catheter Mounts

Double swivel elbow Catheter Mounts

331/5389 | Catheter mount with Double Swivel Elbow, 10 cm 22M/15F patient connection and 15M ventilator side, rubber cap for suctioning port with self-sealing port for Bronchoscopy , sterile



Double swivel elbow with cap for suctioning and bronchoscopy


Also available

331/5626	5 cm, 15M ventilator side, dead space 15 ml, sterile
331/5625	5 cm, 22F ventilator side, dead space 15 ml, sterile
331/5391	10 cm, 22F ventilator side, dead space 25 ml, sterile
331/5390	15 cm, 15M ventilator side, dead space 35 ml, sterile
331/5385	15 cm, 22F ventilator side, dead space 35 ml, sterile
331/5373	20 cm, 15M ventilator side, dead space 45 ml, sterile
331/5395	20 cm, 22F ventilator side, dead space 45 ml, sterile

Single packed. Box quantity 25 units

60° Angled Elbow Catheter Mounts

331/5305 | Catheter Mount with 60° angled elbow 22M/15F connections. Rubber cap for suctioning port.



cap for suctioning

Also available


331/5353	5 cm, 15M connections, dead space 15 ml, sterile
331/5387	5 cm, 22F connections, dead space 15 ml, sterile
331/5112	10 cm, 22F connections, dead space 25 ml, sterile
331/5306	15 cm, 15M connections, dead space 35 ml, sterile
331/5113	15 cm, 22F connections, dead space 35 ml, sterile

Single packed. Box quantity 25 units

Smoothbore PVC Catheter Mounts

90° Angled Elbow Catheter Mounts

330/5307 | Catheter mount with 90° Angled Elbow 10 cm 22M/15F connections 15M ventilator side adaptors, sterile.




Also available

330/5109	10 cm, 22F connections, dead space 25 ml, sterile
330/5308	15 cm, 15M connections, dead space 35 ml, sterile
330/5110	15 cm, 22F connections, dead space 35 ml, sterile

Single packed. Box quantity 25 units

90° Angled Elbow with CO2 sampling port Catheter Mounts

330/5321 | Catheter Mount with 90° Angled Elbow; Luer-Lock port for CO2 sampling lines, 22M/15F patient connection 15M ventilator side.



Also available


330/5321TC	10 cm, 15M connections, dead space 25 ml, tethered cap version, sterile
330/5645	10 cm, 22F connections, dead space 25 ml, sterile
330/5645TC	10 cm, 22F connections, dead space 25 ml, tethered cap version, sterile
330/5322	15 cm, 15M connections, dead space 35 ml, sterile
330/5322TC	15 cm, 15M connections, dead space 35 ml, tethered cap version, sterile
330/5646	15 cm, 22F connections, dead space 35 ml, sterile
330/5646TC	15 cm, 22F connections, dead space 35 ml, tethered cap version, sterile

Single packed. Box quantity 25 units

Smoothbore PVC Catheter Mounts

Straight connector Catheter Mounts

332/5114 | Catheter mount with straight connector; 10 cm, 15M-15F connections, sterile, 22F or 15M adapters.




Also available

332/5317	5 cm, 15M-15F connections, dead space 15 ml, sterile
332/5316	5 cm, 15F-22F connections, dead space 15 ml, sterile
332/5309	10 cm, 22F-15F connections, dead space 25 ml, sterile
332/5115	15 cm, 51M-15F connections, dead space 35 ml, sterile
332/5310	15 cm, 22F-15F connections, dead space 35 ml, sterile

Single packed. Box quantity 25 units

Carlens Catheter Mounts

335/5313 | Catheter Mount with a double channelled tube to provide independent lung ventilation. This catheter allows to connect endobronchial tubes of Carlens or White excluding, according to the specific need, one of the two ways through an obturator which is present in the packaging



Also available


335/5320	7 cm, 22M/15F patient connection, A 7.5mm-B 8 mm, sterile
335/5350	7 cm, 22M/15F patient connection, A 8.5 mm-B 9mm, sterile

Single packed. Box quantity 25 units

Extendible PP Catheter Mounts

Double swivel elbow Catheter Mounts

331/5661 | Catheter Mount with double swivel elbow, 7/16 cm, 22M/15F patient connection, 15M ventilator side connection, rubber cap with suctioning and bronchoscopy port, sterile




Also available

331/5669	7/16 cm, 22F ventilator side connection, dead space 25 : 50 ml, sterile
331/5665	7/16 cm, 15M ventilator side connection, fixed rubber cap, sterile

Single packed. Box quantity 25 units

60° Angled Elbow Catheter Mounts

331/5662 | Catheter Mount with 60° angled elbow; 7/16 cm, 22M/15F patient connection, 15M ventilator side connection, rubber cap for suctioning, sterile. Rubber cap for suctioning port.



Also available

331/5670	7/16 cm, 22F ventilator side connection, dead space 25 : 50 ml, sterile


Single packed. Box quantity 25 units

Catheter Mounts

Extendible Pp Catheter Mounts

90° Angled Elbow Catheter Mounts

330/5337 | Catheter mount with 90° Angled Elbow; 7/16 cm 22M/15F patient connections. 22F or 15M ventilator side connection.




Single packed. Box quantity 25 units

Also available

330/5678	7/16 cm, 22F ventilator side connection, dead space 55 : 50 ml, sterile

PE Catheter Mount


332/5684 | Polyethylene Sraight Catheter Mount 16.5 cm, 22F-15F connections. 15F adapter , sterile



Single packed. Box quantity 25 units

90° Angled Elbow with CO2 sampling port Catheter Mounts

330/5664 | Catheter Mount with 90° Angled Elbow; 7/16 cm 22M/15F patient connections. Luer-Lock port for CO2 sampling lines connection. 15M ventilator side connection or 15M adapters sterile.



Also available


330/5664TC	7/16 cm, 15M ventilator side connection, dead space 25 : 50 ml, tethered cap version, sterile
330/5667	7/16 cm, 22F ventilator side connection, dead space 25 : 50 ml, sterile
330/5667TC	7/16 cm, 22F ventilator side connection, dead space 25 : 50 ml, tethered cap version, sterile

Extendible Pp Catheter Mounts

Single packed. Box quantity 25 units

Straight connector Catheter Mounts

332/5663 | Catheter mount with straight connector; 7/16 cm 22M/15F connections. 22F or 15F-15M connection




Also available

332/5666	7/16 cm, 22F-15F connections, dead space 25 :50 ml, sterile

Single packed. Box quantity 25 units

Single use connectors

Straight short connectors




Available connections

	X	Y
609/9208	15M	15M
609/9206	15F	15M
608/5261	15F	22F
609/5264	15F	22M
609/5241	15F	22M/15F
609/5179	15M	15M
609/5244	15M	22F
609/5248	15M	22M/15F
609/9207	22F	22M/19F
609/9262	22F	connection to universal adapter
609S9268	22M	connection to universal adapter
609/5252	22M	22M/15F
609/5176	22M	22M/19F
609/5098	22M	30F
609/5097	22M	30M
609/5291	23F	conical connection
609/5290	23M	conical connection

Single packed, sterile. Box quantity 10 units

Straight long connectors




Available connections

	X	Y
608/5271	15M	15M
608/5096	22F	22F
608/5096A	22F	22F with pressure port
608/5093	22F	22M
608/5093A	22F	22M with pressure port
608/5093B	22F	22M with temperature port
608/5095	22F	22M/15F
608/5095A	22F	22M/15F with pressure port
608/5095B	22F	22M/15F with temperature port
608/5092	22M	22M
608/5092A	22M	22M with pressure port
608/5092B	22M	22M with temperature port
608/5094	22M	22M/15F
608/5094A	22M	22M/15F with pressure port
608/5094B	22M	22M/15F with temperature port
608/9240	10M	10M

Single packed, not sterile. Box quantity 10 units

Single use connectors

Straight connectors for Endotracheal tubes




Available connections

	Patient	Et Tube
609/9075	15M	3mm ET tube connection
609/9076	15M	3.5 mm ET tube connection
609/9077	15M	4 mm ET tube connection
609/9078	15M	4.5 mm ET tube connection
609/9079	15M	5 mm ET tube connection
609/9081	15M	6 mm ET tube connection
609/9071	15M	7 mm ET tube connection
609/9037	15M	8 mm ET tube connection
609/9082	15M	8.5 mm ET tube connection
609/9083	15M	9 mm ET tube connection
609/9084	15M	9.5 mm ET tube connection
609/9085	15M	10 mm ET tube connection

Single packed, sterile. Box quantity 10 units

Metered dose inhaler

608/5105 | Straight connector 22M/15F-15M with MDI port for drug supplies, sterile



Single packed, not sterile. Box quantity 10 units

Nitric oxide connectors


See page 32 and 33

Single use connectors

Special straight connectors


609/9198 | Straight connector 22F-22M with one way valve to 22F, sterile

Single packed, not sterile. Box quantity 10 units




609/9199 | Straight connector 22f-22M with one way valve to 22M, sterile

Single packed, not sterile. Box quantity 10 units




609/9181 | Reducer fo Hygrobaby 8.5mm-15mm, sterile

Single packed. Box quantity 10 units



609/5242 | Reducer for Hygrobaby 15F-22M

Single packed. Box quantity 10 units




Also available

609P5242	not sterile version

Single use connectors


616/9049 | Straight connector 22M-19M/15F with APL valve, sterile

Single packed. Box quantity 10 units




616/9028 | Straight connector 22M-22F with APL valve, sterile

Single packed. Box quantity 50 units




616/9048 | Straight connector 22M-22M/15F with APL valve, sterile

Single packed. Box quantity 50 pz



L-Type Connectors

Single packed, sterile. Box quantity 10 units




Available connections

	X	Y		X	Y
620/5177	22F	22F	620/5108A	22M	22M/15F with pressure port
620/5106	22M	22M	620/5108B	22M	22M/15F with temperature port
620/5106A	22M	22M with pressure port			
620/5106B	22M	22M with temperature port	620/5175	22F	22M/15F
620/5107	22F	22M	620/5175A	22F	22M/15F with pressure port
620/5107A	22F	22M with pressure port	620/5175B	22F	22M/15F with temperature port
620/5107B	22F	22M with temperature port			
620/5108	22M	22M/15F			

Single use connectors


Special L-type connectors

616/5256 | Angled connector 22M-22M/15F with APL valve, sterile



Single packed. Box quantity 25 units

T-Piece Connectors



Available Connections


	X	Y	Z
615/5174	15M	15M	15F
615/5272	15M	15M	15F temperature port
615/5265	22F	22F	22M
615/5102	22F	22M	22F
615/5102A	22F	22M	22F pressure port
615/5100	22F	22M	22M
615/5100B	22F	22M	22M temperature port
615/5245	22F	22M	22M/15F
615/5245A	22F	22M	22M/15F pressure port
615/5245B	22F	22M	22M/15F temperature port
615/9093	22F	22M	19mm for draeger termometer bulk packed, not sterile
615/5254	22F	22M/15F	22M
615/5254A	22F	22M/15F	22M pressure port
615/5101	22M	22M	22F
615/5101A	22M	22M	22F pressure port
615/5099	22M	22M	22M
615/5099A	22M	22M	22M pressure port
615/5099B	22M	22M	22M temperature port
615/5103	22M	22M	22M/15F
615/5103A	22M	22M	22M/15F pressure port
615/5103B	22M	22M	22M/15F temperature port
615/5104	22M	22M/15F	22F
615/5104B	22M	22M/15F	22F temperature port
615/5250	22M	22M/15F	22M

Single packed, sterile. Box quantity 10 units

Single use connectors


Special T-piece connectors

615/9038 | T-Type connector 22F-22M-22M/15F with one way valve on X and pressure port, sterile




Single packed. Box quantity 10 units

622S9273 | T-Type connector 22M-22M-22M/15F with one way valve on Y, sterile




Single packed. Box quantity 10 units

615/5278 | T-Type connector 22F-22M-22M/15F with one way valve on X and Y, sterile




Single packed. Box quantity 10 units

622/5149 | T-Type connector 22M-22M-22M/15F with one way valve on X and Y, sterile



Single packed, Box quantity 10 units

615/9234 | T-Type connector 22F-22M/15F-22M with spring on Z to allow nebulizer insertion, sterile




Single packed. Box quantity 10 units

Y-Piece Connectors

Adult parallel Y-piece with pressure

601/5089 | Adult Parallel Y piece with pressure and temperature ports 22M/15F patient connections 22M-22M tube connections, sterile




Single packed. Box quantity 10 units

Also available

600/5087	Adult Parallel Y piece without ports 22M/15F patient connections 22M-22M tube connections, sterile
601/9008	Adult Parallel Y piece with pressure port and temperature port for Draeger probe, 22M/15F patient connections 22M-22M tube connections, sterile

Adult Standard Y-piece with pressure

601/9001 | Adult standard Y piece with pressure and temperature ports 22M/15F patient connections 22M-22M tube connections, sterile




Single packed, not sterile. Box quantity 10 units

Also available

600/9000	Adult Standard Y piece without ports 22M/15F patient connections 22M-22M tube connections, sterile

Paediatric standard Y-piece connectors

602/5297 | Paediatric standard Y piece with pressure and temperature ports, 22M/15F patient connections 115M-15M tube connections, sterile



Single packed. Box quantity 10 units


Also available

602/5091	Paediatric Standard Y piece without ports 22M/15F patient connections 15M-15M tube connections, sterile

Y-Piece Connectors


Special Adult Y-piece connectors

600/9052 | Adult standard Y piece without ports with 22M/15F patient connections, 22M-22M tube connections, with one way valves on 22M connections, sterile



Single packed, not sterile. Box quantity 10 units


603/5255 | Adult standard Y piece without ports with 22M/15F patient connections, 22M-22M tube connections, with APL valve, sterile



Single packed, not sterile. Box quantity 10 units

Neonatal parallel Y piece


615/5298 | Neonatal parallel Y piece with pressure and temperature port, sterile



Single packed, not sterile. Box quantity 10 units

Fixed Elbow (Cobb)


606/5171 | fixed 120° angled elbow connector with 22M/15F patient connection, 15M ending, and suctioning port with rubber cap, sterile



Single packed, sterile. Box quantity 10 units


Double Swivel Elbows (Cobb)

610/5257 | Double swivel 120° angled elbow connector with 22M/15F patient connection, 15M ending, port for suctioning and bronchoscopy with rubber cap, sterile



Single packed, sterile. Box quantity 10 units


610/5294 | Double swivel 120° angled elbow connector with 22M/15F patient connection, 15M ending, with closed cap on upper port, sterile




Single packed, sterile. Box quantity 10 units

90° Angled Connectors

620/5173 | 90° angled connector with 22M/15F patient connection and 15M ending, sterile




620/9019 | 90° angled connector with 22M/15F patient connection, 15M ending and capno port with cap, sterile



Flex Connectors


609/9091 | Straight connector 22Flex-25mm, not sterile



Also available

	X	Y
609/9061	15Flex	8-11Flex
609/9069	10Flex	22M
609/9021	22 Flex	22M

620/9045 | 90° angled connector 22Flex-22Flex, sterile



Also available

	X	Y
620/9121	22Flex	22M/15F
620/9010	22Flex	22M/19F

90° Angled

Single packed, not sterile. Box quantity 10 units

Flex Connectors

Single packed, not sterile. Box quantity 10 units

Caps

Single packed, sterile. Box quantity 10 units

Caps

609B9191 | Double cap for suctioning and bronchoscopy for double swivel elbow, bulk packed, not sterile




Single packed, sterile. Box quantity 10 units

111/1117 | Cap for MDI port, bulk packed, not sterile



Single packed, sterile. Box quantity 10 units

608/9196 | Cap for 15F connections, sterile



Single packed, sterile. Box quantity 10 units

608/9068 | Cap for 22F connections, sterile



22F

Single packed, sterile. Box quantity 10 units

608/9138 | Cap for 22M connections, sterile



22m

608B9099 | Polyethylene cap with 23M connection for extendible breathing systems




23M

Autoclavable Connectors

Single packed, not sterile. Box quantity 10 units

Straight short connector


608/5218 | Straight short connector 15M-22F, not sterile



Single packed, not sterile. Box quantity 10 units

Straight long connectors

608/5188 | Straight long connector 22F-22F, not sterile




Also available

	X	Y	
608/5185	22F	22M	
608/5184	22M	22M	
608/5184B	22M	22M	with temperature port
608/5186	22M	22M/15F	
608/5186B	22M	22M/15F	with temperature port

Single packed, not sterile. Box quantity 10 units

L-Type Connectors




Also available

	X	Y	
620/5183	15F	15M	
620/5217	22F	22F	
620/5180	22F	22M	
620/5180B	22F	22M	with temperature port
620/5182	22M	22M/15F	
620/5182B	22M	22M/15F	with temperature port

Single packed, not sterile. Box quantity 10 units

Autoclavable connectors

T-Type Connectors




Also available

	X	Y	Z
615/5190	22F	22M	22M
615/5190A	22F	22M	22M with pressure port
615/5191	22M	22M	22F
615/5189	22M	22M	22M
615/5189A	22M	22M	22M with pressure port
615/5193	22M	22M	22M/15F
615/5194	22M	22M/15F	22F

Single packed. Box quantity 10 units


Y-Piece Connectors

602/5090 | reusable paediatric standard Y piece w/no ports, 22M/15F patient connections, 15M-15M tube connections, not sterile



Single packed, sterile. Box quantity 10 units


600P5086 | Reusable adult standard Y piece w/no ports, 22M/15F patient connections, 22M-22M tube connections, not sterile



Single packed, sterile. Box quantity 10 units

Autoclavable connectors


601/5088 | Reusable adult standard Y piece with pressure and temperature ports, 22M/15F patient connections, 22M-22M tube connections, not sterile



Single packed, not sterile. Box quantity 10 units

Fixed Elbow (Cobb)

606/5215 | Fixed elbow connector 15M-22M/15F, not sterile




Single packed, not sterile. Box quantity 10 units

Mounthpieces


Mouthpiece

630S5150 | Mouthpiece with 22M/15F connections, sterile




Single packed. Box quantity 10 units

615/5288 | Mouthpiece on T-piece with 22M-22M connections, not sterile




Single packed. Box quantity 10 units

500P30002 | Flex Mouthpiece with 33F connection, not sterile



Single packed. Box quantity 10 units

500P30021 | Flex Mouthpiece oval shaped connection, not sterile




Single packed, sterile. Box quantity 10 units

Water Traps


Water Traps

652/5406 | Adult water trap with 22M-22M connections, sterile





Single packed, not sterile. Box quantity 10 units

652/5405 | Paediatric water trap with 22M-22M connections, sterile



Single packed, not sterile. Box quantity 10 units








Box quantity 10 units

Anaesthesia Masks

Disposable devices, colour coded for easy identification, standard and inflatable configurations for providing all around solutions for all kind of patient, sterile or clean versions available for satisfying different needs.

Standard version configurations

22F



Dar 8800

Size 5, large adult, not sterile

Blue ring

22F



Dar 8801

Size 4, medium adult, not sterile

Yellow ring

22F



Dar 8802

Size 3, small adult, not sterile

White ring

22F



Dar 8803

Size 2, paediatric, not sterile

Green ring

15M



Dar 8804

Size 1, infant, not sterile

15M




Dar 8805

Size 0, neonatal, not sterile

Inflatable version configuration

22F



Dar 8806

Size 5, large adult, with inflatable cushion, not sterile

Blue ring

22F



Dar 8807

Size 4, medium adult, with inflatable cushion, not sterile

Yellow ring

22F




Dar 8808

Size 3, small adult, with inflatable cushion, not sterile

White ring

22F



Dar 8809

Size 5, large adult, with inflatable cushion, sterile

Blue ring

22F




Dar 8810

Size 4, medium adult, with inflatable cushion, sterile

Yellow ring

22F



Dar 8811

Size 3, small adult, with inflatable cushion, sterile

White ring

Breathing Bags (Latex Free)

22F

lt. 0.5



22F

lt. 1



22F

lt. 2



22F

lt. 3



Available codes

10904	0.5 lt breathing bag, latex free, 22 F connections, not sterile
10905	1 lt breathing bag, latex free, 22 F connections, not sterile
10906	2 lt breathing bag, latex free, 22 F connections, not sterile
10907	3 lt breathing bag, latex free, 22 F connections, not sterile


Guedel Airways

Code	Size	Length	Colour code	Packaging	Features
287/7843	6	11 cm	Light blue	Single packed	sterile1box of 10 units
287/7631	5	10 cm	Red	Single packed	sterile 1box of 10 units
287/7632	4	9 cm	Yellow	Single packed	sterile 1box of 10 units
287/7633	3	8 cm	Green	Single packed	sterile 1box of 10 units
287/7634	2	7 cm	White	Single packed	sterile 1box of 10 units
287/7635	1	6 cm	Violet	Single packed	sterile 1box of 10 units
287/7636	0	5 cm	Blue	Single packed	sterile 1box of 10 units
287/7838	00	4 cm	Orange	Single packed	sterile 1box of 10 units
287/7839	000	3 cm	Pink	Single packed	sterile 1box of 10 units
287P7843SP	6	11 cm	Light blue	Single packed	not sterile 1box of 10 units
287P7631SP	5	10 cm	Red	Single packed	not sterile 1box of 10 units
287P7632SP	4	9 cm	Yellow	Single packed	not sterile 1box of 10 units
287P7633SP	3	8 cm	Green	Single packed	not sterile 1box of 10 units
287P7634SP	2	7 cm	White	Single packed	not sterile 1box of 10 units
287P7635SP	1	6 cm	Violet	Single packed	not sterile 1box of 10 units
287P7636SP	0	5 cm	Blue	Single packed	not sterile 1box of 10 units
287P7838SP	00	4 cm	Orange	Single packed	not sterile 1box of 10 units
287P7839SP	000	3 cm	Pink	Single packed	not sterile 1box of 10 units
287B7843	6	11 cm	Light blue	Bulk packed	not sterile 1box of 200 units
287B7631	5	10 cm	Red	Bulk packed	not sterile 1box of 200 units
287B7632	4	9 cm	Yellow	Bulk packed	not sterile 1box of 900 units
287B7633	3	8 cm	Green	Bulk packed	not sterile 1box of 1000 units
287B7634	2	7 cm	White	Bulk packed	not sterile 1box of 1000 units
287B7635	1	6 cm	Violet	Bulk packed	not sterile 1box of 1000 units
287B7636	0	5 cm	Blue	Bulk packed	not sterile 1box of 1000 units
287/25018	6	11 cm	-	Single packed	sterile 1box of 10 units
287/25017	5	10 cm	-	Single packed	sterile 1box of 10 units
287/25016	4	9 cm	-	Single packed	sterile 1box of 10 units
287/25015	3	8 cm	-	Single packed	sterile 1box of 10 units
287/25014	2	7 cm	-	Single packed	sterile 1box of 10 units
287/25013	1	6 cm	-	Single packed	sterile 1box of 10 units
287/25012	0	5 cm	-	Single packed	sterile 1box of 10 units
287/25011	00	4 cm	-	Single packed	sterile 1box of 10 units
287/25010	000	3 cm	-	Single packed	sterile 1box of 10 units



Gas Samling Lines

291/7565 | PVC line 200 cm, Ø 1.2 x 2.5 mm, with Male luer lock connections, sterile



Also available

291/7663	PVC line 200 cm, Ø 1.2x2.5 mm, Male-Female luer lock connections, sterile
291/7731	PVC line 300 cm, Ø 1.2x2.5 mm, Male-Male luer lock connections, sterile
291/7733	PVC line 300 cm, Ø 1.2x2.5 mm, Male-Female luer lock connections, sterile
608/5296	200 cm, Ø 1.2x2.5 mm, 15M-22M/15F and universal connections, sterile
608/5300	200 cm, Ø 1.2x2.5 mm, 15M-22M/15F and luer lock connections, sterile
608/9040	260 cm, Ø 1.2x2.5 mm, 15M-22M/15F and universal connections, sterile

Box quantity 10 units, not sterile

P.E.E.P. Valve

609/9034



Box quantity 25 units, sterile

Suction control Valve

291/7617



Box quantity 25 units, sterile

Also available

291/7045	Digitvent valve with male luer lock, sterile
291/25092	Digitvent valve with male luer lock, with tube connection, sterile

Exhalation Valve

111/1113



Box quantity 10 units, not sterile

Also available

111PX0002	Airlife valve to be used with Onyx Ventilators, 22F-22M connections, not sterile

A.P.L. Valve

616/9239



Box quantity 10 units, not sterile

Also available

616S9279	APL valve with overpressure relief valve, 15F connection, sterile



* Trademarks of Tyco Healthcare Group LP or an affiliate © 2004 Tyco Healthcare Group LP. All rights reserved.

0000000/00

tyco Healthcare

DAR

Tyco Healthcare UK Limited
154 Fareham Road
GOSPORT Hampshire
PO 13 0AS
UK
Tel: +44 (0) 1329 224226
Fax: +44 (0) 1329 224334

Tyco Healthcare Nederland BV
Hogeweg 105
NL-5301 LL ZALTBOMMEL
The NETHERLANDS
Tel: +31 418 57 66 00
Fax: +31 418 57 67 91
TycoHealthNed@TycoHealth.com
www.tycohealthcare.nl

Tyco Healthcare Belgium N.V.-S.A.
Generaal de Wittelaan 9/5
B-2800 MECHELEN
BELGIUM
Tel: +32 (0) 15 29 44 50
Fax: +32 (0) 15 29 44 55
tycohealthcare.Belgium@tycohealth-care.com

Tyco Healthcare Danmark
Langebrogade 6E, 4.th.
DK-1411 København K
DENMARK
Tel: +45-70 27 52 50
Kundeservice +45-70 27 52 50
Fax: +45-70 27 51 50

Tyco Healthcare Finland
Köydenpunojankatu 2D, 6 krs, PL 340
FIN-00181 Helsinki
FINLAND
Puh +358-(0)9-6226 840
Asiakaspalvelu
+358-(0)9-6226 8418
Fax: +358-(0)9-6226 8460

Tyco Healthcare
Regional Export
154 Fareham Road
GOSPORT Hampshire
PO 13 0AS
UK
Tel: +44 (0) 1329 224258
Fax: +44 (0) 1329 224086

Tyco Healthcare
Birchwood Court Montrose Road
P.O. Box 8108, Halfway House
1685 MIDRAND
SOUTH AFRICA
Tel: +27 (0) 11 265 2000
Fax: +27 (0) 11 265 2050

Tyco Healthcare Norden AB
Gårdsvägen 18, Box 710
SE-169 27 Solna
SWEDEN
Tel: +46-8 585 605 00
Kundservice +46-8 585 605 05
Fax: +46-8 585 605 06

Tyco Healthcare Norge
Løkketangen 20
N-1337 Sandvika
NORWAY
Tel: +47-67 80 55 10
Kundeservice +47-67 80 55 18
Fax: +47-67 80 55 11

12/2004